


Hydrofluosilicic Acid Feed System

IMS Provides Packaged Hydrofluosilicic Acid Feed Systems (Pre-Assembled, Piped, Wired, and Factory Tested)



System Features

System Benefits

Hydrofluosilicic Acid Solution FRP Storage Tank

- Safe storage of hydrofluosilicic acid solution
- Durable, corrosion resistant

Modular, Factory-assembled and Tested System with Compact Design

- Pre-piped and wired for easy, low-cost installation
- Modular, portable design for easy relocation
- Compact small footprint

Custom Designed System Available

- Meets site specific requirements and provides desired features

Fully Automatic Solenoid Metering Pump

- Metering pump capable of receiving and sending remote signals (4 to 20 mA input/output, remote start-stop, alarms, etc.)
- Low maintenance requirement

Fully Contained System

- Eliminates any risk of hydrofluosilicic solution entering floor drains
- High level switch in containment structure for local and remote alarm

Automatic Level Indication

- Equipped with ultrasonic level sensor with local display and remote transmission capability

Integrated Control Panel

- Single point of connection by installer



cleanwater1

13135 Danielson Street, Suite 204 | Poway, CA 92064

Tel: 858.486.1620 | Email: info@cleanwater1.com

cleanwater1.com

© 2025 Cleanwater1, Inc. Subject to change without prior notice.

The information provided in this literature contains merely general descriptions or characteristics of performance which in actual case of use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of a written contract.